

Facilities Fall 19


No. of responses = 470



Survey Results

Legend

Question text



n=No. of responses
 av.=Mean
 md=Median
 dev.=Std. Dev.
 ab.=Abstention

2. About You


2.1) What is your age group?




2.2) Sex



2.3) Race/Ethnicity




2.4) Which do you have?



2.5) Total college credit hours completed




2.6) Which Academic Division is associated with your major?



2.7) How many colleges other than Rose State College have you attended?



2.8) When do you expect to graduate from Rose State College?



3. Your experiences on campus

3.1) Have you ever visited the **Business & Information Technology Building**?3.2) Have you ever visited the **Humanities Building**?3.3) Have you ever visited the **Social Sciences Building**?

3.4) Have you ever visited the **Science & Math Building**?

Yes 268 n=467
No 199

3.5) Have you ever visited the **Engineering Technology Building**?

Yes 161 n=461
No 300

3.6) Have you ever visited the **Health Sciences Building**?

Yes 204 n=461
No 257

3.7) Have you ever visited the **Allied Dental Health Building**?

Yes 42 n=460
No 418

3.8) Have you ever visited the **STEM Building**?

Yes 149 n=462
No 313

3.9) Have you ever visited the **Hudiburg Communications Center**?

Yes 133 n=458
No 325

3.10) Have you ever visited the **Learning Resources Center/Library**?

Yes 409 n=467
No 58

3.11) Have you ever visited the **Administration Building**?

Yes 416 n=466
No 50

3.12) Have you ever visited the **Student Services Building**?

Yes 384 n=464
No 80

3.13) Have you ever visited the **Wellness Center**?

Yes 209 n=465
No 256

3.14) Have you ever visited the **Bookstore**?


Yes 398

No 69


n=467

4. Please rate the Business & Technology Building


4.1) Cleanliness




4.2) Restrooms




4.3) Accessibility




4.4) Interior lighting




4.5) Interior visual appeal




4.6) Interior signage




4.7) General maintenance




4.8) Social gathering spaces




4.9) Study areas




4.10) Classroom appearance




4.11) Classroom comfort




4.12) Computer lab(s)




4.13) Classroom technology




4.14) Parking




4.15) Exterior lighting



4.16) Exterior visual appeal




4.17) Exterior signage




5. Please rate the Humanities Building


5.1) Cleanliness




5.2) Restrooms




5.3) Accessibility




5.4) Interior lighting




5.5) Interior visual appeal




5.6) Interior signage




5.7) General maintenance




5.8) Social gathering spaces




5.9) Study areas




5.10) Classroom appearance




5.11) Classroom comfort




5.12) Computer lab(s)




5.13) Writing lab




5.14) Classroom technology




5.15) Parking




5.16) Exterior lighting



5.17) Exterior visual appeal




5.18) Exterior signage



n=314
 av.=4.24
 md=4
 dev.=0.82
 ab.=20


6. Please rate the Social Sciences Building

6.1) Cleanliness




n=270
 av.=4.5
 md=5
 dev.=0.67
 ab.=7

6.2) Restrooms




n=257
 av.=4.34
 md=5
 dev.=0.86
 ab.=18

6.3) Accessibility




n=263
 av.=4.45
 md=5
 dev.=0.67
 ab.=9

6.4) Interior lighting




n=267
 av.=4.41
 md=5
 dev.=0.67
 ab.=6

6.5) Interior visual appeal




n=268
 av.=4.31
 md=4
 dev.=0.78
 ab.=6

6.6) Interior signage




n=264
 av.=4.29
 md=4
 dev.=0.77
 ab.=11

6.7) General maintenance




n=258
 av.=4.39
 md=5
 dev.=0.69
 ab.=16

6.8) Social gathering spaces




n=228
 av.=4.14
 md=4
 dev.=0.92
 ab.=45

6.9) Study areas




n=226
 av.=4.14
 md=4
 dev.=0.96
 ab.=48

6.10) Classroom appearance




n=255
 av.=4.26
 md=4
 dev.=0.78
 ab.=19

6.11) Classroom comfort




n=256
 av.=4.18
 md=4
 dev.=0.87
 ab.=19

6.12) Computer lab(s)




n=193
 av.=4.37
 md=5
 dev.=0.75
 ab.=82

6.13) Science lab(s)




n=170
 av.=4.42
 md=5
 dev.=0.72
 ab.=104

6.14) Classroom technology




n=233
 av.=4.28
 md=4
 dev.=0.75
 ab.=42

6.15) Parking




n=260
 av.=4.12
 md=4
 dev.=0.91
 ab.=15

6.16) Exterior lighting




n=235
 av.=4.19
 md=4
 dev.=0.92
 ab.=39

6.17) Exterior visual appeal



n=261
 av.=4.19
 md=4
 dev.=0.84
 ab.=12


6.18) Exterior signage



n=256
 av.=4.23
 md=4
 dev.=0.82
 ab.=18


7. Please rate the Science & Math Building

7.1) Cleanliness




n=241
 av.=4.4
 md=5
 dev.=0.72
 ab.=7

7.2) Restrooms




n=227
 av.=4.32
 md=4
 dev.=0.81
 ab.=20

7.3) Accessibility




n=241
 av.=4.32
 md=4
 dev.=0.8
 ab.=6

7.4) Interior lighting




n=241
 av.=4.31
 md=4
 dev.=0.73
 ab.=6

7.5) Interior visual appeal




n=241
 av.=4.16
 md=4
 dev.=0.87
 ab.=6


7.6) Interior signage




7.7) General maintenance




7.8) Social gathering spaces




7.9) Study areas




7.10) Classroom appearance




7.11) Classroom comfort




7.12) Computer lab(s)




7.13) Science lab(s)




7.14) Classroom technology



7.15) Parking




7.16) Exterior lighting



7.17) Exterior visual appeal




7.18) Exterior signage



n=232
 av.=4.19
 md=4
 dev.=0.73
 ab.=15


8. Please rate the Engineering Technology Building

8.1) Cleanliness




n=143
 av.=4.4
 md=5
 dev.=0.73
 ab.=4

8.2) Restrooms




n=134
 av.=4.33
 md=5
 dev.=0.85
 ab.=12

8.3) Accessibility




n=144
 av.=4.35
 md=5
 dev.=0.81
 ab.=2

8.4) Interior lighting




n=144
 av.=4.3
 md=4
 dev.=0.85
 ab.=3

8.5) Interior visual appeal




n=142
 av.=4.22
 md=4
 dev.=0.88
 ab.=4

8.6) Interior signage




n=140
 av.=4.25
 md=4
 dev.=0.87
 ab.=6

8.7) General maintenance




n=140
 av.=4.34
 md=4
 dev.=0.75
 ab.=6

8.8) Social gathering spaces




n=119
 av.=4.17
 md=4
 dev.=1.01
 ab.=27

8.9) Study areas




n=115
 av.=4.21
 md=4
 dev.=0.98
 ab.=31

8.10) Classroom appearance




n=140
 av.=4.22
 md=4
 dev.=0.85
 ab.=6

8.11) Classroom comfort




n=140
 av.=4.13
 md=4
 dev.=0.93
 ab.=7


8.12) Computer lab(s)




8.13) Science lab(s)




8.14) Classroom technology




8.15) Parking




8.16) Exterior lighting



8.17) Exterior visual appeal




8.18) Exterior signage




9. Please rate the Health Sciences Building


9.1) Cleanliness




9.2) Restrooms




9.3) Accessibility




9.4) Interior lighting




9.5) Interior visual appeal




9.6) Interior signage




9.7) General maintenance




9.8) Social gathering spaces




9.9) Study areas




9.10) Classroom appearance




9.11) Classroom comfort




9.12) Computer lab(s)




9.13) Science lab(s)




9.14) Classroom technology




9.15) Parking




9.16) Exterior lighting



9.17) Exterior visual appeal




9.18) Exterior signage



n=180
 av.=4.45
 md=5
 dev.=0.7
 ab.=10


10. Please rate the Allied Dental Health Building

10.1) Cleanliness




n=39
 av.=4.36
 md=5
 dev.=0.96
 ab.=1

10.2) Restrooms




n=35
 av.=3.51
 md=4
 dev.=1.29
 ab.=5

10.3) Accessibility




n=38
 av.=3.92
 md=4
 dev.=1.22
 ab.=2

10.4) Interior lighting




n=37
 av.=4.05
 md=4
 dev.=1.05
 ab.=3

10.5) Interior visual appeal




n=37
 av.=3.57
 md=4
 dev.=1.32
 ab.=3

10.6) Interior signage




n=36
 av.=3.92
 md=4
 dev.=1.23
 ab.=4

10.7) General maintenance




n=36
 av.=3.83
 md=4
 dev.=1.28
 ab.=4

10.8) Social gathering spaces




n=32
 av.=3.44
 md=3.5
 dev.=1.48
 ab.=8

10.9) Study areas




n=31
 av.=3.45
 md=4
 dev.=1.5
 ab.=9

10.10) Classroom appearance




n=33
 av.=3.88
 md=4
 dev.=1.24
 ab.=7

10.11) Classroom comfort




n=31
 av.=3.71
 md=4
 dev.=1.42
 ab.=9


10.12) Computer lab(s)




10.13) Science lab(s)




10.14) Classroom technology




10.15) Parking




10.16) Exterior lighting



10.17) Exterior visual appeal




10.18) Exterior signage




11. Please rate the STEM Building


11.1) Cleanliness




11.2) Restrooms




11.3) Accessibility




11.4) Interior lighting




11.5) Interior visual appeal




11.6) Interior signage




11.7) General maintenance




11.8) Social gathering spaces




11.9) Study areas




11.10) Classroom appearance




11.11) Classroom comfort



11.12) Computer lab(s)




11.13) Science lab(s)




11.14) Classroom technology




11.15) Parking




11.16) Exterior lighting



11.17) Exterior visual appeal




11.18) Exterior signage



n=121
av.=4.26
md=5
dev.=0.88
ab.=12


12. Please rate the Hudiburg Communications Center

12.1) Cleanliness




n=117
av.=4.54
md=5
dev.=0.77
ab.=6

12.2) Restrooms




n=108
av.=4.49
md=5
dev.=0.73
ab.=13

12.3) Accessibility




n=115
av.=4.48
md=5
dev.=0.72
ab.=7

12.4) Interior lighting




n=116
av.=4.52
md=5
dev.=0.7
ab.=6

12.5) Interior visual appeal




n=115
av.=4.54
md=5
dev.=0.69
ab.=5

12.6) Interior signage




n=114
av.=4.43
md=5
dev.=0.75
ab.=6

12.7) General maintenance




n=113
av.=4.49
md=5
dev.=0.78
ab.=8

12.8) Social gathering spaces




n=102
av.=4.39
md=5
dev.=0.91
ab.=19

12.9) Study areas




n=87
av.=4.44
md=5
dev.=0.89
ab.=34

12.10) Classroom appearance




n=86
av.=4.45
md=5
dev.=0.78
ab.=34

12.11) Classroom comfort




n=87
av.=4.4
md=5
dev.=0.84
ab.=34

12.12) Classroom lab(s)




n=75
 av.=4.51
 md=5
 dev.=0.78
 ab.=44

12.13) Classroom technology




n=81
 av.=4.41
 md=5
 dev.=0.92
 ab.=40

12.14) Parking




n=112
 av.=4.38
 md=5
 dev.=0.85
 ab.=9

12.15) Exterior lighting




n=108
 av.=4.39
 md=5
 dev.=0.87
 ab.=13

12.16) Exterior visual appeal



n=114
 av.=4.53
 md=5
 dev.=0.74
 ab.=7


12.17) Exterior signage



n=112
 av.=4.48
 md=5
 dev.=0.75
 ab.=8


13. Please rate the Learning Resources Center (& Library)

13.1) Cleanliness




n=391
 av.=4.73
 md=5
 dev.=0.52

13.2) Restrooms




n=362
 av.=4.65
 md=5
 dev.=0.62
 ab.=28

13.3) Accessibility




n=386
 av.=4.64
 md=5
 dev.=0.61
 ab.=5

13.4) Interior lighting




n=388
 av.=4.65
 md=5
 dev.=0.6
 ab.=1

13.5) Interior visual appeal




n=387
 av.=4.65
 md=5
 dev.=0.61
 ab.=1

13.6) Interior signage




n=384
 av.=4.55
 md=5
 dev.=0.73
 ab.=5


13.7) General maintenance




13.8) Social gathering spaces




13.9) Study areas




13.10) Classroom appearance




13.11) Classroom comfort




13.12) Computer lab(s)




13.13) Classroom technology




13.14) Parking




13.15) Exterior lighting



13.16) Exterior visual appeal




13.17) Exterior signage




14. Please rate the Wellness Center


14.1) Cleanliness




14.2) Restrooms




14.3) Accessibility




14.4) Interior lighting




14.5) Interior visual appeal




14.6) Interior signage




14.7) General maintenance



14.8) Classroom appearance




14.9) Classroom comfort




14.10) Classroom technology




14.11) Parking




14.12) Exterior lighting



14.13) Exterior visual appeal




14.14) Exterior signage



n=183
 av.=4.25
 md=4
 dev.=0.88
 ab.=13


15. Please rate the Administration Building

15.1) Cleanliness




n=377
 av.=4.47
 md=5
 dev.=0.66
 ab.=13

15.2) Restrooms




n=300
 av.=4.48
 md=5
 dev.=0.71
 ab.=87

15.3) Accessibility




n=373
 av.=4.38
 md=5
 dev.=0.78
 ab.=15

15.4) Interior lighting




n=372
 av.=4.32
 md=4
 dev.=0.78
 ab.=12

15.5) Interior visual appeal




n=378
 av.=4.24
 md=4
 dev.=0.88
 ab.=11

15.6) Interior signage




n=368
 av.=4.32
 md=5
 dev.=0.81
 ab.=17

15.7) General maintenance




n=361
 av.=4.4
 md=5
 dev.=0.69
 ab.=26

15.8) Parking




n=372
 av.=4.08
 md=4
 dev.=1.01
 ab.=16

15.9) Exterior lighting




n=326
 av.=4.32
 md=5
 dev.=0.85
 ab.=59

15.10) Exterior visual appeal



n=377
 av.=4.27
 md=4
 dev.=0.82
 ab.=11


15.11) Exterior signage



n=367
 av.=4.26
 md=4
 dev.=0.84
 ab.=19


16. Please rate the Bookstore

16.1) Cleanliness




n=364
 av.=4.21
 md=4
 dev.=0.88
 ab.=7

16.2) Restrooms




n=241
 av.=4.19
 md=4
 dev.=0.94
 ab.=127

16.3) Accessibility




n=356
 av.=3.81
 md=4
 dev.=1.12
 ab.=14

16.4) Interior lighting




n=353
 av.=4.07
 md=4
 dev.=0.93
 ab.=14

16.5) Interior visual appeal




n=357
 av.=3.9
 md=4
 dev.=1.07
 ab.=11

16.6) Interior signage




n=350
 av.=3.96
 md=4
 dev.=1.04
 ab.=19

16.7) General maintenance




n=341
 av.=4.11
 md=4
 dev.=0.89
 ab.=28

16.8) Parking




n=352
 av.=3.59
 md=4
 dev.=1.24
 ab.=17

16.9) Exterior lighting




n=298
 av.=4
 md=4
 dev.=1.03
 ab.=70

16.10) Exterior visual appeal



n=351
 av.=3.8
 md=4
 dev.=1.13
 ab.=19


16.11) Exterior signage



n=344
 av.=3.81
 md=4
 dev.=1.15
 ab.=25


17. Please rate the Student Services Building

17.1) Cleanliness




n=343
 av.=4.39
 md=5
 dev.=0.7
 ab.=10

17.2) Restrooms




n=287
 av.=4.29
 md=4
 dev.=0.82
 ab.=66

17.3) Accessibility




n=332
 av.=4.22
 md=4
 dev.=0.86
 ab.=17

17.4) Social gathering spaces




n=341
 av.=4.1
 md=4
 dev.=0.94

17.5) Interior lighting




n=337
 av.=4.33
 md=4
 dev.=0.71
 ab.=15

17.6) Interior visual appeal




n=339
 av.=4.2
 md=4
 dev.=0.84
 ab.=13

17.7) Interior signage




n=334
 av.=4.26
 md=4
 dev.=0.82
 ab.=18

17.8) General maintenance




n=321
 av.=4.31
 md=4
 dev.=0.74
 ab.=30

17.9) Parking




n=326
 av.=3.89
 md=4
 dev.=1.09
 ab.=26

17.10) Exterior lighting




n=286
 av.=4.22
 md=4
 dev.=0.93
 ab.=65

17.11) Exterior visual appeal



n=334
 av.=4.15
 md=4
 dev.=0.92
 ab.=18

17.12) Exterior signage



n=324
 av.=4.16
 md=4
 dev.=0.92
 ab.=28

Profile



Compilation:

Facilities Fall 19


Values used in the profile line: Mean

4. Please rate the Business & Technology Building


4.1) Cleanliness	Very Good					Very Poor	n=198	av.=4.49	md=5.00	dev.=0.71
4.2) Restrooms	Very Good					Very Poor	n=190	av.=4.45	md=5.00	dev.=0.72
4.3) Accessibility	Very Good					Very Poor	n=195	av.=4.41	md=5.00	dev.=0.78
4.4) Interior lighting	Very Good					Very Poor	n=197	av.=4.36	md=4.00	dev.=0.73
4.5) Interior visual appeal	Very Good					Very Poor	n=197	av.=4.15	md=4.00	dev.=0.91
4.6) Interior signage	Very Good					Very Poor	n=195	av.=4.17	md=4.00	dev.=0.84
4.7) General maintenance	Very Good					Very Poor	n=196	av.=4.37	md=4.50	dev.=0.73
4.8) Social gathering spaces	Very Good					Very Poor	n=182	av.=4.02	md=4.00	dev.=1.11
4.9) Study areas	Very Good					Very Poor	n=177	av.=4.06	md=4.00	dev.=1.06
4.10) Classroom appearance	Very Good					Very Poor	n=187	av.=4.21	md=4.00	dev.=0.89
4.11) Classroom comfort	Very Good					Very Poor	n=184	av.=4.17	md=4.00	dev.=0.91
4.12) Computer lab(s)	Very Good					Very Poor	n=170	av.=4.37	md=5.00	dev.=0.78
4.13) Classroom technology	Very Good					Very Poor	n=179	av.=4.27	md=4.00	dev.=0.82
4.14) Parking	Very Good					Very Poor	n=182	av.=4.14	md=4.00	dev.=0.90
4.15) Exterior lighting	Very Good					Very Poor	n=175	av.=3.94	md=4.00	dev.=1.14
4.16) Exterior visual appeal	Very Good					Very Poor	n=196	av.=4.05	md=4.00	dev.=0.95
4.17) Exterior signage	Very Good					Very Poor	n=189	av.=4.12	md=4.00	dev.=0.93








5. Please rate the Humanities Building

5.1) Cleanliness	Very Good					Very Poor	n=328	av.=4.54	md=5.00	dev.=0.64
5.2) Restrooms	Very Good					Very Poor	n=310	av.=4.41	md=5.00	dev.=0.77
5.3) Accessibility	Very Good					Very Poor	n=326	av.=4.40	md=5.00	dev.=0.75



















5.4) Interior lighting	Very Good		Very Poor	n=326	av.=4.40	md=5.00	dev.=0.68
5.5) Interior visual appeal	Very Good		Very Poor	n=325	av.=4.29	md=4.00	dev.=0.80
5.6) Interior signage	Very Good		Very Poor	n=320	av.=4.30	md=4.00	dev.=0.82
5.7) General maintenance	Very Good		Very Poor	n=316	av.=4.43	md=5.00	dev.=0.67
5.8) Social gathering spaces	Very Good		Very Poor	n=283	av.=4.28	md=5.00	dev.=0.88
5.9) Study areas	Very Good		Very Poor	n=283	av.=4.26	md=5.00	dev.=0.95
5.10) Classroom appearance	Very Good		Very Poor	n=314	av.=4.28	md=4.00	dev.=0.81
5.11) Classroom comfort	Very Good		Very Poor	n=313	av.=4.18	md=4.00	dev.=0.91
5.12) Computer lab(s)	Very Good		Very Poor	n=264	av.=4.27	md=4.00	dev.=0.85
5.13) Writing lab	Very Good		Very Poor	n=239	av.=4.41	md=5.00	dev.=0.74
5.14) Classroom technology	Very Good		Very Poor	n=295	av.=4.20	md=4.00	dev.=0.85
5.15) Parking	Very Good		Very Poor	n=313	av.=4.03	md=4.00	dev.=0.97
5.16) Exterior lighting	Very Good		Very Poor	n=277	av.=4.11	md=4.00	dev.=1.02
5.17) Exterior visual appeal	Very Good		Very Poor	n=324	av.=4.18	md=4.00	dev.=0.84
5.18) Exterior signage	Very Good		Very Poor	n=314	av.=4.24	md=4.00	dev.=0.82

6. Please rate the Social Sciences Building

6.1) Cleanliness	Very Good		Very Poor	n=270	av.=4.50	md=5.00	dev.=0.67
6.2) Restrooms	Very Good		Very Poor	n=257	av.=4.34	md=5.00	dev.=0.86
6.3) Accessibility	Very Good		Very Poor	n=263	av.=4.45	md=5.00	dev.=0.67
6.4) Interior lighting	Very Good		Very Poor	n=267	av.=4.41	md=5.00	dev.=0.67
6.5) Interior visual appeal	Very Good		Very Poor	n=268	av.=4.31	md=4.00	dev.=0.78
6.6) Interior signage	Very Good		Very Poor	n=264	av.=4.29	md=4.00	dev.=0.77
6.7) General maintenance	Very Good		Very Poor	n=258	av.=4.39	md=5.00	dev.=0.69
6.8) Social gathering spaces	Very Good		Very Poor	n=228	av.=4.14	md=4.00	dev.=0.92
6.9) Study areas	Very Good		Very Poor	n=226	av.=4.14	md=4.00	dev.=0.96
6.10) Classroom appearance	Very Good		Very Poor	n=255	av.=4.26	md=4.00	dev.=0.78
6.11) Classroom comfort	Very Good		Very Poor	n=256	av.=4.18	md=4.00	dev.=0.87

6.12) Computer lab(s)	Very Good		Very Poor	n=193	av.=4.37	md=5.00	dev.=0.75
6.13) Science lab(s)	Very Good		Very Poor	n=170	av.=4.42	md=5.00	dev.=0.72
6.14) Classroom technology	Very Good		Very Poor	n=233	av.=4.28	md=4.00	dev.=0.75
6.15) Parking	Very Good		Very Poor	n=260	av.=4.12	md=4.00	dev.=0.91
6.16) Exterior lighting	Very Good		Very Poor	n=235	av.=4.19	md=4.00	dev.=0.92
6.17) Exterior visual appeal	Very Good		Very Poor	n=261	av.=4.19	md=4.00	dev.=0.84
6.18) Exterior signage	Very Good		Very Poor	n=256	av.=4.23	md=4.00	dev.=0.82

7. Please rate the Science & Math Building












7.1) Cleanliness	Very Good		Very Poor	n=241	av.=4.40	md=5.00	dev.=0.72
7.2) Restrooms	Very Good		Very Poor	n=227	av.=4.32	md=4.00	dev.=0.81
7.3) Accessibility	Very Good		Very Poor	n=241	av.=4.32	md=4.00	dev.=0.80
7.4) Interior lighting	Very Good		Very Poor	n=241	av.=4.31	md=4.00	dev.=0.73
7.5) Interior visual appeal	Very Good		Very Poor	n=241	av.=4.16	md=4.00	dev.=0.87
7.6) Interior signage	Very Good		Very Poor	n=236	av.=4.20	md=4.00	dev.=0.85
7.7) General maintenance	Very Good		Very Poor	n=231	av.=4.30	md=4.00	dev.=0.75
7.8) Social gathering spaces	Very Good		Very Poor	n=206	av.=4.15	md=4.00	dev.=0.96
7.9) Study areas	Very Good		Very Poor	n=200	av.=4.08	md=4.00	dev.=1.00
7.10) Classroom appearance	Very Good		Very Poor	n=234	av.=4.20	md=4.00	dev.=0.80
7.11) Classroom comfort	Very Good		Very Poor	n=230	av.=4.12	md=4.00	dev.=0.87
7.12) Computer lab(s)	Very Good		Very Poor	n=193	av.=4.26	md=4.00	dev.=0.83
7.13) Science lab(s)	Very Good		Very Poor	n=191	av.=4.34	md=4.00	dev.=0.78
7.14) Classroom technology	Very Good		Very Poor	n=222	av.=4.18	md=4.00	dev.=0.86
7.15) Parking	Very Good		Very Poor	n=229	av.=4.05	md=4.00	dev.=0.94
7.16) Exterior lighting	Very Good		Very Poor	n=211	av.=4.13	md=4.00	dev.=0.91
7.17) Exterior visual appeal	Very Good		Very Poor	n=236	av.=4.14	md=4.00	dev.=0.87
7.18) Exterior signage	Very Good		Very Poor	n=232	av.=4.19	md=4.00	dev.=0.83

8. Please rate the Engineering Technology Building
















8.1) Cleanliness	Very Good					Very Poor	n=143	av.=4.40	md=5.00	dev.=0.73
8.2) Restrooms	Very Good					Very Poor	n=134	av.=4.33	md=5.00	dev.=0.85
8.3) Accessibility	Very Good					Very Poor	n=144	av.=4.35	md=5.00	dev.=0.81
8.4) Interior lighting	Very Good					Very Poor	n=144	av.=4.30	md=4.00	dev.=0.85
8.5) Interior visual appeal	Very Good					Very Poor	n=142	av.=4.22	md=4.00	dev.=0.88
8.6) Interior signage	Very Good					Very Poor	n=140	av.=4.25	md=4.00	dev.=0.87
8.7) General maintenance	Very Good					Very Poor	n=140	av.=4.34	md=4.00	dev.=0.75
8.8) Social gathering spaces	Very Good					Very Poor	n=119	av.=4.17	md=4.00	dev.=1.01
8.9) Study areas	Very Good					Very Poor	n=115	av.=4.21	md=4.00	dev.=0.98
8.10) Classroom appearance	Very Good					Very Poor	n=140	av.=4.22	md=4.00	dev.=0.85
8.11) Classroom comfort	Very Good					Very Poor	n=140	av.=4.13	md=4.00	dev.=0.93
8.12) Computer lab(s)	Very Good					Very Poor	n=104	av.=4.38	md=5.00	dev.=0.78
8.13) Science lab(s)	Very Good					Very Poor	n=104	av.=4.42	md=5.00	dev.=0.77
8.14) Classroom technology	Very Good					Very Poor	n=129	av.=4.22	md=4.00	dev.=0.87
8.15) Parking	Very Good					Very Poor	n=136	av.=4.21	md=4.00	dev.=0.96
8.16) Exterior lighting	Very Good					Very Poor	n=127	av.=4.19	md=4.00	dev.=0.93
8.17) Exterior visual appeal	Very Good					Very Poor	n=138	av.=4.20	md=4.00	dev.=0.89
8.18) Exterior signage	Very Good					Very Poor	n=136	av.=4.24	md=4.00	dev.=0.90




9. Please rate the Health Sciences Building

9.1) Cleanliness	Very Good					Very Poor	n=189	av.=4.64	md=5.00	dev.=0.64
9.2) Restrooms	Very Good					Very Poor	n=182	av.=4.57	md=5.00	dev.=0.71
9.3) Accessibility	Very Good					Very Poor	n=187	av.=4.44	md=5.00	dev.=0.80
9.4) Interior lighting	Very Good					Very Poor	n=188	av.=4.55	md=5.00	dev.=0.64
9.5) Interior visual appeal	Very Good					Very Poor	n=188	av.=4.56	md=5.00	dev.=0.68
9.6) Interior signage	Very Good					Very Poor	n=182	av.=4.51	md=5.00	dev.=0.65
9.7) General maintenance	Very Good					Very Poor	n=180	av.=4.53	md=5.00	dev.=0.68



















9.8) Social gathering spaces	Very Good		Very Poor	n=176	av.=4.53	md=5.00	dev.=0.73
9.9) Study areas	Very Good		Very Poor	n=172	av.=4.47	md=5.00	dev.=0.81
9.10) Classroom appearance	Very Good		Very Poor	n=182	av.=4.52	md=5.00	dev.=0.70
9.11) Classroom comfort	Very Good		Very Poor	n=178	av.=4.40	md=5.00	dev.=0.83
9.12) Computer lab(s)	Very Good		Very Poor	n=149	av.=4.45	md=5.00	dev.=0.73
9.13) Science lab(s)	Very Good		Very Poor	n=159	av.=4.52	md=5.00	dev.=0.68
9.14) Classroom technology	Very Good		Very Poor	n=171	av.=4.42	md=5.00	dev.=0.78
9.15) Parking	Very Good		Very Poor	n=184	av.=3.89	md=4.00	dev.=1.15
9.16) Exterior lighting	Very Good		Very Poor	n=172	av.=4.41	md=5.00	dev.=0.81
9.17) Exterior visual appeal	Very Good		Very Poor	n=186	av.=4.51	md=5.00	dev.=0.70
9.18) Exterior signage	Very Good		Very Poor	n=180	av.=4.45	md=5.00	dev.=0.70

10. Please rate the Allied Dental Health Building




10.1) Cleanliness	Very Good		Very Poor	n=39	av.=4.36	md=5.00	dev.=0.96
10.2) Restrooms	Very Good		Very Poor	n=35	av.=3.51	md=4.00	dev.=1.29
10.3) Accessibility	Very Good		Very Poor	n=38	av.=3.92	md=4.00	dev.=1.22
10.4) Interior lighting	Very Good		Very Poor	n=37	av.=4.05	md=4.00	dev.=1.05
10.5) Interior visual appeal	Very Good		Very Poor	n=37	av.=3.57	md=4.00	dev.=1.32
10.6) Interior signage	Very Good		Very Poor	n=36	av.=3.92	md=4.00	dev.=1.23
10.7) General maintenance	Very Good		Very Poor	n=36	av.=3.83	md=4.00	dev.=1.28
10.8) Social gathering spaces	Very Good		Very Poor	n=32	av.=3.44	md=3.50	dev.=1.48
10.9) Study areas	Very Good		Very Poor	n=31	av.=3.45	md=4.00	dev.=1.50
10.10) Classroom appearance	Very Good		Very Poor	n=33	av.=3.88	md=4.00	dev.=1.24
10.11) Classroom comfort	Very Good		Very Poor	n=31	av.=3.71	md=4.00	dev.=1.42
10.12) Computer lab(s)	Very Good		Very Poor	n=32	av.=3.53	md=4.00	dev.=1.41
10.13) Science lab(s)	Very Good		Very Poor	n=32	av.=4.13	md=4.50	dev.=1.10
10.14) Classroom technology	Very Good		Very Poor	n=32	av.=3.94	md=4.00	dev.=1.16
10.15) Parking	Very Good		Very Poor	n=36	av.=3.89	md=4.00	dev.=1.06







10.16) Exterior lighting	Very Good		Very Poor	n=34	av.=3.76	md=4.00	dev.=1.16
10.17) Exterior visual appeal	Very Good		Very Poor	n=38	av.=3.92	md=4.00	dev.=1.15
10.18) Exterior signage	Very Good		Very Poor	n=37	av.=4.11	md=4.00	dev.=0.99

11. Please rate the STEM Building













11.1) Cleanliness	Very Good		Very Poor	n=124	av.=4.27	md=4.00	dev.=0.88
11.2) Restrooms	Very Good		Very Poor	n=117	av.=3.91	md=4.00	dev.=1.14
11.3) Accessibility	Very Good		Very Poor	n=125	av.=4.19	md=4.00	dev.=1.00
11.4) Interior lighting	Very Good		Very Poor	n=125	av.=4.10	md=4.00	dev.=0.95
11.5) Interior visual appeal	Very Good		Very Poor	n=126	av.=4.01	md=4.00	dev.=1.07
11.6) Interior signage	Very Good		Very Poor	n=120	av.=4.09	md=4.00	dev.=1.07
11.7) General maintenance	Very Good		Very Poor	n=116	av.=4.12	md=4.00	dev.=0.98
11.8) Social gathering spaces	Very Good		Very Poor	n=103	av.=4.03	md=5.00	dev.=1.19
11.9) Study areas	Very Good		Very Poor	n=99	av.=3.99	md=5.00	dev.=1.27
11.10) Classroom appearance	Very Good		Very Poor	n=114	av.=4.08	md=4.00	dev.=1.05
11.11) Classroom comfort	Very Good		Very Poor	n=116	av.=4.04	md=4.00	dev.=1.15
11.12) Computer lab(s)	Very Good		Very Poor	n=84	av.=4.33	md=5.00	dev.=0.95
11.13) Science lab(s)	Very Good		Very Poor	n=90	av.=4.29	md=5.00	dev.=0.95
11.14) Classroom technology	Very Good		Very Poor	n=105	av.=4.15	md=4.00	dev.=0.95
11.15) Parking	Very Good		Very Poor	n=122	av.=4.16	md=4.00	dev.=0.99
11.16) Exterior lighting	Very Good		Very Poor	n=110	av.=4.15	md=4.00	dev.=1.04
11.17) Exterior visual appeal	Very Good		Very Poor	n=124	av.=4.13	md=4.00	dev.=1.01
11.18) Exterior signage	Very Good		Very Poor	n=121	av.=4.26	md=5.00	dev.=0.88






12. Please rate the Hudiburg Communications Center

12.1) Cleanliness	Very Good		Very Poor	n=117	av.=4.54	md=5.00	dev.=0.77
12.2) Restrooms	Very Good		Very Poor	n=108	av.=4.49	md=5.00	dev.=0.73
12.3) Accessibility	Very Good		Very Poor	n=115	av.=4.48	md=5.00	dev.=0.72















12.4) Interior lighting	Very Good		Very Poor	n=116	av.=4.52	md=5.00	dev.=0.70
12.5) Interior visual appeal	Very Good		Very Poor	n=115	av.=4.54	md=5.00	dev.=0.69
12.6) Interior signage	Very Good		Very Poor	n=114	av.=4.43	md=5.00	dev.=0.75
12.7) General maintenance	Very Good		Very Poor	n=113	av.=4.49	md=5.00	dev.=0.78
12.8) Social gathering spaces	Very Good		Very Poor	n=102	av.=4.39	md=5.00	dev.=0.91
12.9) Study areas	Very Good		Very Poor	n=87	av.=4.44	md=5.00	dev.=0.89
12.10) Classroom appearance	Very Good		Very Poor	n=86	av.=4.45	md=5.00	dev.=0.78
12.11) Classroom comfort	Very Good		Very Poor	n=87	av.=4.40	md=5.00	dev.=0.84
12.12) Classroom lab(s)	Very Good		Very Poor	n=75	av.=4.51	md=5.00	dev.=0.78
12.13) Classroom technology	Very Good		Very Poor	n=81	av.=4.41	md=5.00	dev.=0.92
12.14) Parking	Very Good		Very Poor	n=112	av.=4.38	md=5.00	dev.=0.85
12.15) Exterior lighting	Very Good		Very Poor	n=108	av.=4.39	md=5.00	dev.=0.87
12.16) Exterior visual appeal	Very Good		Very Poor	n=114	av.=4.53	md=5.00	dev.=0.74
12.17) Exterior signage	Very Good		Very Poor	n=112	av.=4.48	md=5.00	dev.=0.75

13. Please rate the Learning Resources Center (& Library)






13.1) Cleanliness	Very Good		Very Poor	n=391	av.=4.73	md=5.00	dev.=0.52
13.2) Restrooms	Very Good		Very Poor	n=362	av.=4.65	md=5.00	dev.=0.62
13.3) Accessibility	Very Good		Very Poor	n=386	av.=4.64	md=5.00	dev.=0.61
13.4) Interior lighting	Very Good		Very Poor	n=388	av.=4.65	md=5.00	dev.=0.60
13.5) Interior visual appeal	Very Good		Very Poor	n=387	av.=4.65	md=5.00	dev.=0.61
13.6) Interior signage	Very Good		Very Poor	n=384	av.=4.55	md=5.00	dev.=0.73
13.7) General maintenance	Very Good		Very Poor	n=376	av.=4.64	md=5.00	dev.=0.59
13.8) Social gathering spaces	Very Good		Very Poor	n=375	av.=4.63	md=5.00	dev.=0.64
13.9) Study areas	Very Good		Very Poor	n=375	av.=4.65	md=5.00	dev.=0.63
13.10) Classroom appearance	Very Good		Very Poor	n=320	av.=4.62	md=5.00	dev.=0.65
13.11) Classroom comfort	Very Good		Very Poor	n=322	av.=4.60	md=5.00	dev.=0.66
13.12) Computer lab(s)	Very Good		Very Poor	n=345	av.=4.60	md=5.00	dev.=0.68







13.13) Classroom technology	Very Good		Very Poor	n=322	av.=4.58	md=5.00	dev.=0.72
13.14) Parking	Very Good		Very Poor	n=369	av.=4.32	md=5.00	dev.=0.90
13.15) Exterior lighting	Very Good		Very Poor	n=346	av.=4.44	md=5.00	dev.=0.85
13.16) Exterior visual appeal	Very Good		Very Poor	n=383	av.=4.59	md=5.00	dev.=0.70
13.17) Exterior signage	Very Good		Very Poor	n=375	av.=4.54	md=5.00	dev.=0.70

14. Please rate the Wellness Center












14.1) Cleanliness	Very Good		Very Poor	n=189	av.=4.38	md=5.00	dev.=0.83
14.2) Restrooms	Very Good		Very Poor	n=178	av.=4.08	md=4.00	dev.=1.05
14.3) Accessibility	Very Good		Very Poor	n=187	av.=4.32	md=5.00	dev.=0.84
14.4) Interior lighting	Very Good		Very Poor	n=185	av.=4.33	md=5.00	dev.=0.83
14.5) Interior visual appeal	Very Good		Very Poor	n=188	av.=4.23	md=4.00	dev.=0.91
14.6) Interior signage	Very Good		Very Poor	n=185	av.=4.23	md=4.00	dev.=0.91
14.7) General maintenance	Very Good		Very Poor	n=178	av.=4.37	md=5.00	dev.=0.84
14.8) Classroom appearance	Very Good		Very Poor	n=129	av.=4.42	md=5.00	dev.=0.79
14.9) Classroom comfort	Very Good		Very Poor	n=130	av.=4.39	md=5.00	dev.=0.83
14.10) Classroom technology	Very Good		Very Poor	n=125	av.=4.40	md=5.00	dev.=0.85
14.11) Parking	Very Good		Very Poor	n=176	av.=4.16	md=4.00	dev.=0.94
14.12) Exterior lighting	Very Good		Very Poor	n=171	av.=4.18	md=4.00	dev.=0.92
14.13) Exterior visual appeal	Very Good		Very Poor	n=188	av.=4.16	md=4.00	dev.=0.91
14.14) Exterior signage	Very Good		Very Poor	n=183	av.=4.25	md=4.00	dev.=0.88

15. Please rate the Administration Building



15.1) Cleanliness	Very Good		Very Poor	n=377	av.=4.47	md=5.00	dev.=0.66
15.2) Restrooms	Very Good		Very Poor	n=300	av.=4.48	md=5.00	dev.=0.71
15.3) Accessibility	Very Good		Very Poor	n=373	av.=4.38	md=5.00	dev.=0.78
15.4) Interior lighting	Very Good		Very Poor	n=372	av.=4.32	md=4.00	dev.=0.78
15.5) Interior visual appeal	Very Good		Very Poor	n=378	av.=4.24	md=4.00	dev.=0.88






15.6) Interior signage	Very Good		Very Poor	n=368	av.=4.32	md=5.00	dev.=0.81
15.7) General maintenance	Very Good		Very Poor	n=361	av.=4.40	md=5.00	dev.=0.69
15.8) Parking	Very Good		Very Poor	n=372	av.=4.08	md=4.00	dev.=1.01
15.9) Exterior lighting	Very Good		Very Poor	n=326	av.=4.32	md=5.00	dev.=0.85
15.10) Exterior visual appeal	Very Good		Very Poor	n=377	av.=4.27	md=4.00	dev.=0.82
15.11) Exterior signage	Very Good		Very Poor	n=367	av.=4.26	md=4.00	dev.=0.84

16. Please rate the Bookstore

16.1) Cleanliness	Very Good		Very Poor	n=364	av.=4.21	md=4.00	dev.=0.88
16.2) Restrooms	Very Good		Very Poor	n=241	av.=4.19	md=4.00	dev.=0.94
16.3) Accessibility	Very Good		Very Poor	n=356	av.=3.81	md=4.00	dev.=1.12
16.4) Interior lighting	Very Good		Very Poor	n=353	av.=4.07	md=4.00	dev.=0.93
16.5) Interior visual appeal	Very Good		Very Poor	n=357	av.=3.90	md=4.00	dev.=1.07
16.6) Interior signage	Very Good		Very Poor	n=350	av.=3.96	md=4.00	dev.=1.04
16.7) General maintenance	Very Good		Very Poor	n=341	av.=4.11	md=4.00	dev.=0.89
16.8) Parking	Very Good		Very Poor	n=352	av.=3.59	md=4.00	dev.=1.24
16.9) Exterior lighting	Very Good		Very Poor	n=298	av.=4.00	md=4.00	dev.=1.03
16.10) Exterior visual appeal	Very Good		Very Poor	n=351	av.=3.80	md=4.00	dev.=1.13
16.11) Exterior signage	Very Good		Very Poor	n=344	av.=3.81	md=4.00	dev.=1.15

17. Please rate the Student Services Building

17.1) Cleanliness	Very Good		Very Poor	n=343	av.=4.39	md=5.00	dev.=0.70
17.2) Restrooms	Very Good		Very Poor	n=287	av.=4.29	md=4.00	dev.=0.82
17.3) Accessibility	Very Good		Very Poor	n=332	av.=4.22	md=4.00	dev.=0.86
17.4) Social gathering spaces	Very Good		Very Poor	n=341	av.=4.10	md=4.00	dev.=0.94
17.5) Interior lighting	Very Good		Very Poor	n=337	av.=4.33	md=4.00	dev.=0.71
17.6) Interior visual appeal	Very Good		Very Poor	n=339	av.=4.20	md=4.00	dev.=0.84
17.7) Interior signage	Very Good		Very Poor	n=334	av.=4.26	md=4.00	dev.=0.82

17.8) General maintenance	Very Good		Very Poor	n=321	av.=4.31	md=4.00	dev.=0.74
17.9) Parking	Very Good		Very Poor	n=326	av.=3.89	md=4.00	dev.=1.09
17.10) Exterior lighting	Very Good		Very Poor	n=286	av.=4.22	md=4.00	dev.=0.93
17.11) Exterior visual appeal	Very Good		Very Poor	n=334	av.=4.15	md=4.00	dev.=0.92
17.12) Exterior signage	Very Good		Very Poor	n=324	av.=4.16	md=4.00	dev.=0.92